

(19)



Europäisches Patentamt
European Patent Office
Office européen des brevets



(11) Publication number:

0 347 934 A3

(12)

EUROPEAN PATENT APPLICATION(21) Application number: **89111473.8**(51) Int. Cl.⁵: **G11B 20/14, H03M 5/14,
H03M 13/00**(22) Date of filing: **23.06.89**(30) Priority: **23.06.88 JP 153641/88**(43) Date of publication of application:
27.12.89 Bulletin 89/52(84) Designated Contracting States:
DE FR GB NL(68) Date of deferred publication of the search report:
26.02.92 Bulletin 92/09(71) Applicant: **SONY CORPORATION**
7-35 Kitashinagawa 6-Chome Shinagawa-ku
Tokyo 141(JP)(72) Inventor: **Sako, Yoichiro**


c/o SONY CORPORATION 7-35,
Kitashinagawa 6-chome
Shinagawa-ku Tokyo(JP)
Inventor: **Hiroshi Ogawa**
c/o SONY CORPORATION 7-35,
Kitashinagawa 6-chome
Shinagawa-ku Tokyo(JP)

(74) Representative: **Schmidt-Evers, Jürgen,**
Dipl.-Ing. et al
Patentanwälte Dipl.-Ing. H. Mitscherlich
Dipl.-Ing. K. Gunschmann Dipl.-Ing.
Dr.rer.nat. W. Körber Dipl.-Ing. J.
Schmidt-Evers Dipl.-Ing. W. Melzer
Steinsdorfstrasse 10
W-8000 München 22(DE)

(54) **Data recording and/or reproducing method and data recording medium.**

(57) The present invention is concerned with a method for modulating and recording data, in which the data are modulated in such a manner that m-bit data are converted into n-bit data, where m and n are real integers and $m < n$, p-bit merging bits are inserted between the n-bit data and the number of consecutive "0"s in the alternate concatenation of these n-bit data and p-bit merging bits is not less than a predetermined number d and not more than a number k which is larger than d, wherein the merging bits of the bit pattern consistent with a digital sum value (DSV) of recording data are inserted between the n-bit data and the DSV is reset at each data block as one unit to facilitate data control for each data block as a unit. The present invention also provides a data recording medium (51) on which are recorded data following this method. When the recording data are demodulated and reproduced from the recording medium (51), it is decided whether the bit pattern of the above merging bit is consistent with the modulation rule and the error detection data which deem the reproduced data in the vicinity of the merging bits not consistent with the modulation rule as being in error are outputted along with the reproduced data

to improve the reliability of the reproduced data produced in the reproducing system.

**FIG. 6****EP 0 347 934 A3**



European Patent
Office


EUROPEAN SEARCH REPORT

Application Number

EP 89 11 1473

Page 1

| DOCUMENTS CONSIDERED TO BE RELEVANT | | | |
|--|---|--|---|
| Category | Citation of document with indication, where appropriate, of relevant passages | Relevant to claim | CLASSIFICATION OF THE APPLICATION (Int. Cl.4) |
| Y | EP-A-74656 (SONY) * abstract * * page 7, line 19 - page 8, line 20 * * claims 1-3 * D,A & US-A-4539691 --- | 1-4 | G11B20/14 H03M5/14 H03M13/00 |
| Y | EP-A-65849 (NORTHERN TELECOM) * abstract * * page 4, line 5 - page 5, line 12 * * page 8, line 26 - page 9, line 5 * --- | 1-2, 4 | |
| A | APPLIED OPTICS vol. 25, no. 22, 15 November 1986, New York pages 3996 - 4000; Y. Sako et al.: "Data structure of the compact disk-read-only memory system" * the whole document * --- | 1-4 | |
| A | US-A-4501000 (K. IMMINK ET AL.) * abstract; figure 3 * * column 3, line 63 - column 4, line 20 * * column 6, line 55 - column 7, line 62 * * column 8, line 11 - column 65 * --- | 1-2, 4 | TECHNICAL FIELDS SEARCHED (Int. Cl.4) |
| Y | EP-A-269481 (BULL) * abstract; claims 1, 4-5 * * page 3, line 64 - page 5, line 29 * --- | 3 | H03M G11B20 H04L |
| A | US-A-4569050 (B. OHME) * abstract * * column 1, line 64 - column 2, line 45 * --- | 3 | |
| A | US-A-4520480 (K. KAWAI) * abstract * * column 1, line 33 - column 2, line 2 * --- | 1-2, 4 | |
| A | PATENT ABSTRACTS OF JAPAN vol. 9, no. 288 (E-358)(2011) 15 November 1985, & JP-A-60 128752 (AKAI) 9 July 1985, * the whole document * | 3 | |
| The present search report has been drawn up for all claims | | | |
| Place of search BERLIN | | Date of completion of the search 26 NOVEMBER 1991 | Examiner SAAM C. |
| CATEGORY OF CITED DOCUMENTS X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document | | | |



Application Number

EP 89 11 1473
Page 2

| DOCUMENTS CONSIDERED TO BE RELEVANT | | | |
|---|---|---|---|
| Category | Citation of document with indication, where appropriate, of relevant passages | Relevant to claim | CLASSIFICATION OF THE APPLICATION (Int. Cl.4) |
| | ----- | | |
| | | | TECHNICAL FIELDS SEARCHED (Int. Cl.4) |
| The present search report has been drawn up for all claims | | | |
| Place of search | Date of completion of the search | Examiner | |
| BERLIN | 26 NOVEMBER 1991 | SAAM C. | |
| CATEGORY OF CITED DOCUMENTS | | T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document | |
| X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document | | | |